# Face Brick Shape Selection Guide




NII




#### Bullnose with a 1" radius


Sizes are in inches. Not all sizes shown are available as stocking products, additional production time should be taken into account. Consult your Sales Rep. for scheduling.




#### **Chamfer** with a <sup>1</sup>/<sub>2</sub>" x <sup>1</sup>/<sub>2</sub>" chamfer

Sizes are in inches. Not all sizes shown are available as stocking products, additional production time should be taken into account. Consult your Sales Rep. for scheduling.






Outside Radius Starter Smooth & mission texture



Inside Radius Starter Smooth texture



Outside Radius Smooth & mission texture



Inside Radius Smooth texture

#### **Radial Brick**

Sizes are in inches. Not all sizes shown are available as stocking products, additional production time should be taken into account. Consult your Sales Rep. for scheduling.

Radial brick are used when a radius is too small to produce an acceptable smooth surface with stretchers. This may be accomplished in some cases by the use of halves or headers at the radius areas. Standard stretchers can turn a 5'-0" radius and Norman stretchers can turn a 8'-0" radius quite nicely.


Mutual Materials can manufacture smooth standard inside and outside radial brick with a minimum 1'-6" radius and a maximum 12'-0" radius (18'-0" for Normans). Norman and standard outside radial brick can be produced with a mission texture in virtually any radius.

The length "x" of a radial brick is determined by the arc of the circumference. It is important to know if one is dealing with a full circle, half, etc. The length "x" can be no longer than the basic unit of the wall.

Starter units must be used unless the arc is a full circle or the arc is butting another wall.


## Wall Caps

Sizes are in inches. Not all sizes shown are available as stocking products, additional production time should be taken into account. Consult your Sales Rep. for scheduling.




## **Coping Brick**


Sizes are in inches. Not all sizes shown are available as stocking products, additional production time should be taken into account. Consult your Sales Rep. for scheduling.





#### Sills

Sizes are in inches. Not all sizes shown are available as stocking products, additional production time should be taken into account. Consult your Sales Rep. for scheduling.










www.mutualmaterials.com


#### **Dogleg** for interior corners greater than 90°

Sizes are in inches. Not all sizes shown are available as stocking products, additional production time should be taken into account. Consult your Sales Rep. for scheduling.




#### **Squint** for exterior corners greater than 90°

Sizes are in inches. Not all sizes shown are available as stocking products, additional production time should be taken into account. Consult your Sales Rep. for scheduling.



#### **Common Shapes**

Sizes are in inches. Not all sizes shown are available as stocking products, additional production time should be taken into account. Consult your Sales Rep. for scheduling.



#### SEATTLE. THE DAY OF THE GREAT FIRE. 2-45 PM. JUNE 6, 1889.

DRAWN BY N. N BRIN BURST

For product information and customer service call 1–888–MUTUALØ (688–8250).

For Distributors outside Washington, Oregon, Idaho and Montana call 1-800-477-7137.

Cover photo:

American West Bank • Spokane, Washington Upper: 60% Imperial Red, 40% Burgundy Lower: Castle Gray accented with Limestone

#### Overleaf:

Krusewood V • Portland, Oregon Blend 1: Imperial Red, Burgundy, Vintage Blend 2: Burgundy, Vintage, Mauna Loa



