



PATIOS



WALKWAYS

ARCHITECTURAL SLABS




Architectural Slabs are stunning in any setting and ideal as pedestrian pavement surfaces. They can be sand-set or pedestal-set depending on your project's needs. Mutual Materials® slabs are produced to exacting standards for a product that is strong, beautiful and durable. The top edges are chamfered for a finished look.

Architectural slabs come with a light shot-blast finish (Vancouver Bay series) or a wavy slate texture (Glacier Slate).

Architectural Slabs are perfect for residential, municipal and commercial applications, including:

- Patios
- Plazas
- Pool decks
- Roof decks
- Sidewalks
- Terraces
- Walkways
- Pedestrian areas


GLACIER SLATE COLORS




Charcoal



Latté




Grey




Tan

VANCOUVER BAY 18 x 18 COLORS




Graphite



Platinum



Latté



Charcoal




Gray




Latté

VANCOUVER BAY 12 x 24 COLORS

VANCOUVER BAY 24 x 24 COLORS



Charcoal



Gray



Ginger




Latté



Tan

STANDARD SIZES



STANDARD SIZES


PRODUCT	ACTUAL SIZE	COVERAGE		PACKAGING	WEIGHT	
		SF (m²)/UNIT	SF (m²)/PALLET	PIECES/PALLET	PER UNIT	PALLET
Vancouver Bay 24 x 24	23 15/16" x 23 15/16" x 1 3/4" (608 mm x 606 mm x 45 mm)	4.0 (0.37 m²)	112 (10.4 m²)	24	90 lb (41 kg)	2,210 (1,002 kg)
Vancouver Bay 12 x 24	11 15/16" x 23 15/16" x 1 3/4" (304 mm x 608 mm x 45 mm)	2.0 (0.185 m²)	112 (10.4 m²)	56	45 lb (20.4 kg)	2,570 (1,166 kg)
Vancouver Bay 18 x 18	17 15/16" x 17 15/16" x 1 3/4" (454 mm x 454 mm x 45 mm)	2.25 (0.21 m²)	126 (11.7 m²)	56	46 lb (21 kg)	2,626 (1,191 kg)
Glacier Slate 24 x 24	23 15/16" x 23 15/16" x 1 3/4" (608 mm x 608 mm x 45 mm)	4.0 (0.37 m²)	112 (10.4 m²)	24	90 lb (41 kg)	2,2102 (1,002 kg)

PHYSICAL PROPERTIES

Mutual Materials’ slabs comply with the requirements of the Canadian Standards Association, CSA A231.1-06

Flexural Strength	650 psi (4.5 MPa)
Compressive Strength	8,000 psi (55.1 MPa)
Freeze-Thaw (Scaling)	Per CSA A231.1-06, Section 6.1.2
Dimensional Tolerance (Length & Width)	-1/16" (1 mm) to + 3/32" (2 mm)
Dimensional Tolerance (Thickness)	+/- 1/8" (3 mm)

INSTALLATION PATTERNS




56% 12 x 24, 44% 24 x 24

INSTALLATION METHODS: SAND SET

Sand-set Applications:

Whether you're designing a walkway, plaza, courtyard, fountain or pool deck, architectural slabs meet your functional and aesthetic needs. Combine slabs with our concrete pavers or segmental retaining walls to create truly unique spaces.

Sand-set installation can be used when existing soil is well drained and stable. Proper compaction of aggregate base and bedding sand is critical to prevent settling and movement of the slabs after installation. To prevent instability, bedding sand should not be thicker than 1". Joints should be 1/8" to 1/16" and swept with sand. Units can also be set further apart to accommodate pea gravel, ground cover, etc. Do not use compaction equipment on slab surfaces.




INSTALLATION METHODS: PEDESTAL SET

Pedestal-set Applications:

Architectural Slabs provide better use of uneven surfaces, such as roofs and decks. Slabs are attractive, as well as functional when used with a pedestal system.

Pedestal installation is ideal for use over sloped areas. Water drains through the joints to access the drainage system while the slabs protect the valuable waterproof membrane. The slabs can easily be removed and replaced to allow access for repair and maintenance to the roof system below.

See ICPI Tech Spec #14 for detailed design and installation information.



DO NOT PEDESTAL-SET EXPOSED AGGREGATE.





MUTUAL MATERIALS LOCATIONS

For product information and customer service, call 1-888-MUTUALØ (688-8250).

WASHINGTON

Auburn
Bellevue
Bellingham
Marysville
Olympia (Tumwater)
Port Orchard
South Seattle
Spokane
Tacoma (Parkland)
Vancouver, WA

OREGON

Bend
Clackamas
Durham
Portland
Salem

IDAHO

Boise
Hayden

MONTANA

Missoula



MUTUAL MATERIALS®

RIGHT PRODUCT | RIGHT PLACE | RIGHT TIME

©2020 Mutual Materials US ARCHITECTURAL SLABS 02/2020 www.MutualMaterials.com